



FRA
CO

WORK
PLATFORM

A
C
T

8



ACT-8 THE ULTIMATE MASTCLIMBER



POWER AND RELIABILITY

The **ACT-8** work platform combines safety, flexibility and power. It distinguishes itself by its versatility and represents the best choice for general contractors and those specialized in repointing, glazing, E.I.F.S., metal framing, etc. The ACT-8 is recognized as the solution to vertical access challenges encountered on new building job sites or during restoration or deconstruction projects.

The ACT-8 fully automated system allows a quick lifting and an exact positioning at the desired height.

QUICK INSTALLATION AND OPTIMIZED WORKPLACE

Whether the ACT-8 is mounted on a ground base or a freestanding base equipped with adjustable outriggers, the initial installation and repositioning can be quickly accomplished. Also, the ability to expand the upper work area and install a low floor on the outriggers, allows workers to enjoy a productive and safe environment: the equipment is always at hand. Whether the wall is straight, curved or irregular, the lower work area adapts to all architectural forms.

TECHNICAL DATA

MAXIMUM LENGTH OF PLATFORM W/ SINGLE MAST (DOUBLE)

MAXIMUM PAYLOAD (SINGLE MAST CONFIGURATION)

LIFTING SPEED

MAXIMUM WIDTH OF UPPER STEP WORKING AREA

MAXIMUM WIDTH OF LOWER STEP WORKING AREA

MAXIMUM HEIGHT (ON GROUND BASE WITH ANCHORS)

MAXIMUM HEIGHT (ON FREESTANDING UNIVERSAL BASE)

STANDARD DISTANCE BETWEEN ANCHORS

LIFTING SYSTEM

TYPES OF ENGINE

MOTORIZED UNIT DIMENSIONS (L X W X H) / WEIGHT

UNIVERSAL FREESTANDING BASE DIMENSIONS (L X W) / WEIGHT

MAST SECTION DIMENSIONS (L X W X H) / WEIGHT

IMPERIAL

58 FT 6 IN (118 FT 8 IN)

8 000 LB / MAST

0 TO 39 FT / MIN

5 FT 10 IN + 5 FT

5 FT

550 FT

45 FT

30 FT

HYDRAULIC WITH ENDLESS SCREW DRIVE MECHANISM

24 H.P. HONDA GASOLINE ENGINE (ELECTRICAL OR DIESEL ALSO AVAILABLE)

3 FT 5 IN X 5 FT 9 IN X 7 FT 2 IN / 2 610 LB

12 FT 5 IN X 12 FT 11 IN / 2 275 LB

20 IN X 20 IN X 5 FT / 340 LB

METRIC

17,3 M (36,2 M)

3 630 KG / MAST

0 TO 11,9 M / MIN

1,78 M + 1,5 M

1,5 M

168 M

13,7 M

9,1 M



CANADA

+ 1 800 267.0094

+ 1 450 658.0094

USA

+ 1 888 372.2648